Protac™

Deep Textured Canvastex™

TECHNICAL SPECIFICATION

Protac™ Deep Textured Canvastex™ is a 7.5 mil (190µ) embossed monomeric calendared PVC laminating film with a deep canvas textured finish, coated on one side with a pressure sensitive, solvent acrylic adhesive that is protected by a bleached Kraft release paper coated on both sides with PE and siliconized on the release side. Both the film and adhesive contain UV stabilizers, which protect against UV degradation.

- CAN BE USED AS AN ALTERNATIVE TO MOUNTING OR PRINTING **ONTO CANVAS**
- CREATES THE ILLUSION THAT AN IMAGE HAS BEEN PRINTED ON **COARSE CANVAS**
- PROTAC™ DEEP TEXTURED CANVASTEXTM HAS A CLASS 0 FIRE RATING ACCORDING TO **UK STANDARDS FOR SURFACE** SPREAD OF FLAME, MAKING IT PERFECT FOR APPLICATIONS IN **PUBLIC AREAS THAT REQUIRE COMPLIANCE WITH STRICT FIRE** REGULATIONS, SUCH AS AIRPORTS, HOTELS AND HOSPITALS.

For more information, performance and warranty guide lines please contact your local Drytac office.

© 2018 Drytac Corporation. E&OE. All other trademarks are the property of their respective owners.

PRODUCT STRUCTURE

Film Deep Canvas Textured Monomeric Calendared PVC Adhesive Solvent Acrylic (Pressure Sensitive)

Release Liner 2 Side PE Coated, 1 Side Siliconized Kraft

PRODUCT CHARACTERISTIC

Film Thickness 7.5 mil (190µ)

1 mil (25µ) **Adhesive Layer**

Film contains UV stabilisers, **UV Protection Factor** which prevent film degradation and provide UV protection to the

underlying image

Outdoor Durability 5 Years

Service Temperature Range -4°F to 203°F (-20°C to 95°C)

>41°F (5°C) **Application Temperature**

Shelf Life 1 year

59°F to 72°F (15°C to 22°C); **Storage Conditions** 50 - 55% Relative Humidity

PROCESS SETTINGS

Equipment Type & Temperature

Speed

Roller Laminator Room temperature to 104°F (40°C)

1 ft to 8 ft (0.3m to 2.5m) per minute

Press Not recommended



Europe

Filwood Road, Fishponds, Bristol, BS16 3RY, United Kingdom bristol@drytac.com Tel: +44 (0) 117 958 6500

Canada

105 Nuggett Court, Brampton, Ontario, L6T 5A9, Canada toronto@drytac.com

Tel: +1 800.353.2883

USA

5601 Eastport Boulevard, Richmond Virginia, 23231, USA customerservice@drytac.com

Tel: +1 800.280.6013