

2023 EUROPEAN PRODUCT REFERENCE GUIDE



DRYTAC®

ADHESIVE SCIENCE

QMS° ISO 14001 : 2015 REGISTERED

QMS° ISO 9001 : 2015 REGISTERED

www.drytac.com

ABOUT DRYTAC

Since our inception in 1976, Drytac has evolved into a highly regarded manufacturer of adhesive-coated products. With offices around the globe and manufacturing facilities in the United Kingdom and Canada, Drytac serves a truly international marketplace. Our core product line consists of laminating films & mounting adhesives; window, wall & floor graphic media; product development services, custom & pattern coating; high performance tapes; industrial adhesives and durable labels.

Well known Drytac trademarks include SpotOn, ReTac, ViziPrint, Polar, WipeErase, ChalkMate, Facemount and Emerytex .



ADHESIVE COATING EXPERTS




Although our core business is the manufacture of mounting adhesives and laminating films for graphic applications, the materials you see in this catalogue are only a selection of what we offer. If you have unique adhesive requirements, our team would like to discuss how Drytac can custom formulate a product specific to your needs.

INNOVATIONS & TECHNOLOGIES

What Makes Drytac Different?

Our adhesive science.



Drytac products are designed to be installed and removed with ease.

We make things stick!

Don't see what you are looking for?

We can make it for you!

We are always innovating. We have introduced over 25 new products to the market over the past several years.

We like to solve problems and find new solutions.




CONTENTS

Solutions For All Surfaces	4	ChalkMate™ Permanent.....	17
Drytac Has You Covered	5	WipeErase™ Clear	18
Drytac Zero.....	6	Protac™ Scribe	18
Color Capture® Wallcoverings	9	Antimicrobial Surface Protection Film.....	18
SpotOn® Easy To Apply Media	10	SteriTac®	18
SpotOn®.....	10	Large Format Overlaminating Films.....	19
SpotOn® M50.....	10	Interlam™ Pro (Pressure Sensitive).....	19
SpotOn® Floor 200	10	Interlam™ Eco (Pressure Sensitive).....	19
ReTac® Ultra Removable & Repositionable Media.....	11	Dynamic™ (Pressure Sensitive).....	19
ReTac® Smooth 75/150.....	11	Weathershield™ (Pressure Sensitive).....	19
ReTac® Textures.....	11	Protac™ Overlaminating Films	20
ViziPrint® Window Films	12	ArtShield™ (Heatset®).....	20
ViziPrint® Impress	12	MediaShield™ (Heatset®)	20
ViziPrint® Deco +	12	Mounting Adhesives	21
Monomeric SAV Printable Films	13	Pressure Sensitive Mounting Adhesives.....	21
Polar® Choice	13	Heat-Activated Mounting Adhesives.....	21
Polymeric SAV Printable Films.....	14	Heat-Activated Mounting Adhesives and Tissues.....	21
Polar® Grip.....	14	Custom Coating Services	22
Polar® Premium White	14	Drytac Academy	23
Polar® Blockout	15		
FloorTac™ Plus	15		
Specialty Printable Films	16		
Polar® Chrome.....	16		
Polar® PET 170	16		
Polar® Street FX.....	16		
Cast PVC Printable Film & Overlamine	16		
Polar® Cast Air GSL.....	16		
Protac™ Cast Lam.....	16		
Writable Films & Overlaminates	17		
ReTac® WipeErase™	17		
WipeErase™ White	17		
ReTac® ChalkMate™	17		



SOLUTIONS FOR ALL SURFACES

Whether you are applying graphics to windows, walls or floors, you'll find a Drytac product that saves you time, money and frustration.



Transform A Shop In Hours, Not Days.




HOW CAN DRYTAC HELP?

Drytac's unique adhesive science creates print media, protective films, and bonding tapes that deliver outstanding results. We engineer and manufacture solutions for you. We have the ability to create custom solutions for your exact needs. With various adhesive and film options we are sure to have the right fit for you.

DRYTAC HAS YOU COVERED

We Keep You Safe. Whatever your needs, from fire ratings to slip ratings to FDA approvals and green solutions, we've got you covered. We work to certify our products to make your life easier. With hundreds of certifications on our print media and laminates we'd be happy to help you plan your next project.



Consistent Colours. Colour is a key identifier for a brand and we take colour very seriously here at Drytac. Regardless of which media or printer you are using, your reds will be red, your greens will be green and your yellows will be yellow - consistently. With thousands of Drytac media profiles accessible through www.drytac.com or the printer manufacturers websites, it couldn't be easier to get amazing results just plug and print!

Go Green With Drytac.

With several different green solutions, we can help you find the best fit to reduce your impact on the environment. Our range of high quality polyester films, economical polypropylene materials and paper solutions are sure to match your needs and environmental requirements. Drytac is also ISO 14001 and ISO 9001 certified.



Pair printable Drytac Zero products with Drytac's Interlam Eco, an environmentally-friendly PP range of laminates, for extended/slip protection.

Don't see what you're looking for?
WE CAN MAKE IT!

Fashion & Sustainability can coexist peacefully
100% eco-certified sustainable production

eco logic
 ENERGY EFFICIENT APPLIANCES - HOW TO CHOOSE WISELY.
 An energy efficient appliance has a long life span and saves you money on your energy bill.

DRYTAC ZERO LARGE FORMAT PRINTABLES

SpotOn® SynTac



120
micron
Dyrtac Zero Solution
White Matte PP



Latex UV



Dot Pattern Removable Adhesive



Widths up to 1370 mm



Interior



Exterior

- 120 micron printable matte white, self-adhesive PP film with a dot pattern, removable adhesive
- Ideal for PVC-free window or wall graphics; pair with Interlam EcoTex for a PVC-free floor graphic solution
- Compatible with UV and latex wide-format inkjet printers



Product	SKU	μ	Description
SpotOn® SynTac	SPSF	120	Printable matte white PP film with dot pattern removable adhesive.



170
micron
Dyrtac Zero Solution
White Matte PP



(Eco) Solvent Latex UV



Clear Re-Positionable Adhesive



Widths up to 1524 mm



Interior (Vertical)



Interior (Horizontal)



Fire Rated



Slip Rated

Polar® PET 170

- 170 micron printable white matte sand textured PET film with a clear re-positionable adhesive
- Ideal for non-slip floor graphics without the need for lamination
- Contains up to 40% industrial recycled content
- Compatible with (eco) solvent, UV and latex wide-format inkjet printers



Product	SKU	μ	Description
Polar® PET 170	PFW	170	Printable white matte textured PET with clear re-positionable adhesive.



250
micron
Dyrtac Zero Solution
White Matte Aluminium



(Eco) Solvent Latex UV



Clear High Tack Permanent Adhesive



Widths up to 1220 mm



Interior & Exterior (Vertical)



Interior & Exterior (Horizontal)



Fire Rated



Slip Rated

Polar® Street FX

- 250 micron printable white matte textured aluminium film with a clear high tack adhesive
- Ideal for non-slip floor graphics without the need for lamination
- Specifically developed for rough ground or wall surfaces such as brick, concrete, or asphalt
- Compatible with (eco) solvent, UV and latex wide-format inkjet printers



Product	SKU	μ	Description
Polar® Street FX	ALU	250	Printable white matte textured aluminium with clear high tack adhesive.



90
micron
Dyrtac Zero Solution
White Matte PP



Latex UV



Black Block-Out Removable Adhesive



Widths up to 1370 mm



Interior



Exterior

SynTac® Blockout RB

- 90 micron printable matte white, self-adhesive PP film with a black block-out removable adhesive
- Ideal for window applications where preventing graphic show through on the other side is needed
- Compatible with UV and latex wide-format inkjet printers



Product	SKU	μ	Description
SynTac® Blockout RB	SBR	90	Printable matte white PP film with black block-out removable adhesive.

DRYTAC ZERO LARGE FORMAT PRINTABLES

SynTac® White R



60
micron
White
Matte
PP



UV



Clear
Removable
Adhesive



Widths up
to 1370 mm



Interior



Exterior

- 60 micron printable matte white, self-adhesive PP film with a clear removable adhesive
- Ideal for window and wall graphics as well as transit applications, such as buses, taxis, cars, and other 2D livery surfaces
- Compatible with UV wide-format inkjet printers

Product	SKU	μ	Description
SynTac® White R	SWR	60	Printable matte white PP film with clear removable adhesive.



ViziPrint® Impress Clear



75/120
micron
Optically
Clear
Gloss
PET



(Eco) Solvent
Latex
UV



Optically
Clear Low-Tack
Hybrid Adhesive



Widths up
to 1524 mm



Interior



Exterior

- 75/120 micron printable optically clear PET films with hybrid low-tack adhesive
- Easy installation and can be removed without leaving adhesive residue
- Ideal for high-end window graphics and decals
- Compatible with (eco) solvent, UV and latex wide-format inkjet printers

Product	SKU	μ	Description
ViziPrint® Impress Clear UVL	VPIE	75	Printable optically clear PET film with a hybrid low-tack adhesive. Compatible with latex & UV printers.
ViziPrint® Impress Clear SEL	VPIE-SEL	120	Printable optically clear PET film with a hybrid low-tack adhesive. Compatible with eco (solvent), latex & UV printers.



ViziPrint® Impress White



150
micron
White
Gloss
PET



(Eco) Solvent
Latex
UV



Clear Low-Tack
Hybrid
Adhesive



Widths up
to 1524 mm



Interior



Exterior

- 115 micron printable high quality white PET film with a hybrid low-tack adhesive
- Easy installation and can be removed without leaving adhesive residue
- Ideal for high-end window graphics and decals
- Compatible with (eco) solvent, UV and latex wide-format inkjet printers

Product	SKU	μ	Description
ViziPrint® Impress White	VPIW-SEL	125	Printable ultra white PET film with a hybrid low-tack adhesive.



ViziPrint® Deco +



70
micron
Optically
Clear
Gloss
PET



Latex
UV



Optically Clear
Permanent
Adhesive



Widths up
to 1524 mm



Interior



Exterior

- 70 micron printable optically clear PET film with a clear permanent adhesive
- The film's high quality adhesive adheres to most smooth substrates
- Ideal for high-end window or architectural graphics
- Compatible with UV and Latex wide-format inkjet printers

Product	SKU	μ	Description
ViziPrint® Deco +	VPDP	70	Printable optically clear PET film with a clear permanent adhesive.



COLOR CAPTURE® WALLCOVERINGS

Beautifully Engineered Digital Printable Wallcoverings.

Color Capture® creates premium digital wallcoverings designed to enhance any space. With multiple film types, finishes and adhesive options, we are sure to have a solution for you.



Drytac
Zero
Solution

150
gsm

Non-
Woven
Paper



(Eco) Solvent
Latex
UV



Repositionable
Acrylic or Water
Activated Adhesive



Widths up
to 1524 mm



Interior

Color Capture® Paper Fleece

- **150 gsm printable matte white non-woven paper fleece with a repositionable or water activated adhesive**
- **Ideal for interior wall graphics and wallcoverings**
- **Compatible with (eco) solvent, latex and UV printers**



Product	SKU	gsm	Description
Paper Fleece Ivory	CCIP	150	Matte white non-woven paper fleece film with repositionable adhesive.
Paper Fleece Ivory - Water Activated	CCIW	150	Matte white non-woven paper fleece film with water-activated adhesive.

Other textured finishes available by request!

SPOTON EASY APPLY MEDIA

SpotOn®

Certified for HP Latex Inks

See the HP Media Locator for details

100 micron

Matte & Gloss Monomeric PVC



(Eco) Solvent Latex UV



Dot Pattern Adhesive



Widths up to 1370 mm



Interior



Exterior



Fire Rated

- 100 micron printable PVC films with a unique dot pattern removable adhesive
- Dry, bubble-free installation without the need for tools
- Ideal for window and wall graphics
- Compatible with (eco) solvent, UV and latex wide-format inkjet printers

Product	SKU	μ	Description
SpotOn® White Gloss	SPOG	100	Gloss white finish with a dot patterned removable adhesive.
SpotOn® White Matte	SPOM	100	Matte white finish with a dot patterned removable adhesive.
SpotOn® Clear Gloss	SPOT	100	Gloss clear finish with a dot patterned removable adhesive.
SpotOn® Clear Matte	SPOC	100	Matte clear finish with a dot patterned removable adhesive.



Certified for HP Latex Inks

See the HP Media Locator for details

100 micron

Matte & Gloss Monomeric PVC



(Eco) Solvent Latex UV



Dot Pattern Adhesive



Widths up to 1370 mm



Interior



Exterior



Fire Rated

SpotOn® M50

- 100 micron printable PVC films with a unique dot pattern removable adhesive
- 50% more opaque than standard SpotOn White
- Dry, bubble-free installation without the need for tools
- Ideal for window and wall graphics
- Compatible with (eco) solvent, UV and latex wide-format inkjet printers

Product	SKU	μ	Description
SpotOn® M50	SPOE	100	Matte white PVC film with a dot-patterned removable adhesive.



Certified for HP Latex Inks

See the HP Media Locator for details

200 micron

Textured Matte Monomeric PVC



(Eco) Solvent Latex UV



Dot Pattern Removable Adhesive



Widths up to 1370 mm



Interior



Fire Rated



Slip Rated

SpotOn® Floor 200

- 200 micron printable textured PVC film with a unique dot pattern removable adhesive
- Dry bubble-free installation without the need for tools
- Ideal for non-slip floor graphics without the need for lamination
- Compatible with (eco) solvent, UV and latex wide-format inkjet printers

Product	SKU	μ	Description
SpotOn® Floor 200	SPOW	200	Matte white textured PVC film with a dot-patterned removable adhesive.



DRYTAC ZERO

Drytac Zero Solution

120 micron

White Matte PP



Latex UV



Dot Pattern Removable Adhesive



Widths up to 1370 mm



Interior



Exterior

SpotOn® SynTac

- 120 micron printable matte white, self-adhesive PP film with a dot pattern, removable adhesive
- Ideal for PVC-free window or wall graphics; pair with Interlam EcoTex for a PVC-free floor graphic solution
- Compatible with UV and latex wide-format inkjet printers

Product	SKU	μ	Description
SpotOn® SynTac	SPSF	120	Printable matte white PP film with dot pattern removable adhesive.



RETAC ULTRA REMOVABLE & REPOSITIONABLE MEDIA

Certified for HP Latex Inks

75/150
micron



YEARS DURABILITY
5



See the HP Media Locator for details

White Polymeric Phthalate-Free PVC

(Eco) Solvent Latex UV

ReTac® Ultra Removable Adhesive

Widths up to 1524 mm

Interior & Exterior

Fire Rated

ReTac® Smooth 75/150

- 75/150 micron printable PVC films with ReTac® ultra removable and repositionable adhesive
- Engineered with a permanently peelable adhesive
- Easy installation with clean, predictable removal - even years later
- Ideal for removable decals, murals and wall graphics
- Compatible with (eco) solvent, UV and latex wide-format inkjet printers

Product	SKU	μ	Description
ReTac® Smooth 75 Matte	RTM	75	Printable matte white polymeric PVC film with ReTac® ultra removable adhesive technology.
ReTac® Smooth 150 Matte	RTF	150	Printable matte white polymeric PVC film with ReTac® ultra removable adhesive technology.



Certified for HP Latex Inks

150
micron



YEARS DURABILITY
5



See the HP Media Locator for details

White Polymeric Phthalate-Free Textured PVC

(Eco) Solvent Latex UV

ReTac® Ultra Removable Adhesive

Widths up to 1524 mm

Interior & Exterior

Fire Rated

ReTac Textures

- 150 micron printable embossed PVC films with ReTac® ultra removable and repositionable adhesive
- Engineered with a permanently peelable adhesive
- Easy installation with clean, predictable removal - even years later
- Ideal for removable decals, murals and wall graphics
- Compatible with (eco) solvent, UV and latex wide-format inkjet printers

Product	SKU	μ	Description
ReTac® Textures Canvas	RTCC	150	Matte white canvas embossed PVC film with ReTac® ultra removable adhesive.
ReTac® Textures Linen	RTCL	150	Matte white linen embossed PVC film with ReTac® ultra removable adhesive.
ReTac® Textures Sand	RTCS	150	Matte white sand embossed PVC film with ReTac® ultra removable adhesive.




Save time and money with Drytac retail insiders' guide.

When it comes to advertising and signage in retail environments it's essential to get it right, so Drytac has compiled a free downloadable guide to help businesses strike the right chord while saving time and money.

DOWNLOAD NOW

VIZIPRINT WINDOW MEDIA



75/120 micron
 Drytac Zero Solution Optically Clear Gloss PET (Eco) Solvent Latex UV Optically Clear Low-Tack Hybrid Adhesive Widths up to 1524 mm **3** YEARS DURABILITY **2** YEARS DURABILITY

ViziPrint® Impress Clear

- 75/120 micron printable optically clear PET films with hybrid low-tack adhesive
- Easy installation and can be removed without leaving adhesive residue
- Ideal for high-end window graphics and decals
- Compatible with (eco) solvent, UV and latex wide-format inkjet printers

Product	SKU	μ	Description
ViziPrint® Impress Clear UVL	VPIE	75	Printable optically clear PET film with a hybrid low-tack adhesive. Compatible with latex & UV printers.
ViziPrint® Impress Clear SEL	VPIE-SEL	120	Printable optically clear PET film with a hybrid low-tack adhesive. Compatible with eco (solvent), latex & UV printers.





150 micron
 Drytac Zero Solution White Gloss PET (Eco) Solvent Latex UV Clear Low-Tack Hybrid Adhesive Widths up to 1524 mm **3** YEARS DURABILITY **2** YEARS DURABILITY

ViziPrint® Impress White

- 115 micron printable high quality white PET film with a hybrid low-tack adhesive
- Easy installation and can be removed without leaving adhesive residue
- Ideal for high-end window graphics and decals
- Compatible with (eco) solvent, UV and latex wide-format inkjet printers

Product	SKU	μ	Description
ViziPrint® Impress White	VPIW-SEL	125	Printable ultra white PET film with a hybrid low-tack adhesive.




70 micron
 Drytac Zero Solution Optically Clear Gloss PET Latex UV Optically Clear Permanent Adhesive Widths up to 1524 mm **7** YEARS DURABILITY **3** YEARS DURABILITY

ViziPrint® Deco +

- 70 micron printable optically clear PET film with a clear permanent adhesive
- The film's high quality adhesive adheres to most smooth substrates
- Ideal for high-end window or architectural graphics
- Compatible with UV and Latex wide-format inkjet printers

Product	SKU	μ	Description
ViziPrint® Deco +	VPDP	70	Printable optically clear PET film with a clear permanent adhesive.



MONOMERIC SAV PRINTABLE FILMS

80 micron
 White Monomeric PVC (Eco) Solvent Latex UV
 Grey Removable or Grey/Clear Permanent Adhesive
 Widths up to 1524mm
 Interior & Exterior
5 YEARS DURABILITY

Polar® Choice White

- 80 micron printable gloss or matte white monomeric PVC film with a permanent or removable adhesive
- Ideal for general signage, POP displays, window, floor and flat vehicle graphics
- Compatible with eco (solvent), latex and UV wide-format inkjet printers

Product	SKU	μ	Description
Polar® Choice White Gloss P	CPWG	80	Gloss white monomeric PVC film with a permanent clear adhesive.
Polar® Choice White Gloss PB	CGWG	80	Gloss white monomeric PVC film with a permanent grey adhesive.
Polar® Choice White Matte RB	CRWM	80	Matte white monomeric PVC film with a removable grey adhesive.



80 micron
 White Monomeric PVC (Eco) Solvent Latex UV
 Grey Permanent Bubble-Free Adhesive
 Widths up to 1524mm
 Interior & Exterior
5 YEARS DURABILITY

Polar® Choice Air White

- 80 micron printable gloss white monomeric PVC film with a grey permanent bubble-free adhesive technology
- Ideal for general signage, POP displays, window, floor and flat vehicle graphics
- Compatible with eco (solvent), latex and UV wide-format inkjet printers

Product	SKU	μ	Description
Polar® Choice Air White Gloss PB	CGAG	80	Gloss white monomeric PVC film with a permanent grey bubble-free adhesive.



70 micron
 White Monomeric PVC (Eco) Solvent Latex UV
 Clear Removable Adhesive
 Widths up to 1524mm
 Interior & Exterior
5 YEARS DURABILITY

Polar® Choice Clear

- 70 micron printable gloss or matte clear monomeric PVC film with a removable adhesive
- Ideal for general signage, POP displays, window, floor and flat vehicle graphics
- Compatible with eco (solvent), latex and UV wide-format inkjet printers

Product	SKU	μ	Description
Polar® Choice Clear Gloss R	CRCG	70	Gloss clear monomeric PVC film with a removable clear adhesive.
Polar® Choice Clear Matte R	CRCM	70	Matte clear monomeric PVC film with a removable clear adhesive.



Pair Drytac Polar Choice films with a Drytac matching overlamine for added longevity.

Polar Choice Lam, Interlam Pro, and Protac Laminates are recommended.

POLYMERIC SAV PRINTABLE FILMS

Certified for HP Latex Inks

80 micron



7 YEARS DURABILITY



See the HP Media Locator for details

White Polymeric PVC

(Eco) Solvent Latex UV

High Tack Grey Permanent Adhesive

Widths up to 1524 mm

Interior & Exterior

Fire Rated

Polar® Grip

- 80 micron printable matte/gloss white polymeric PVC film with high tack grey permanent adhesive
- The film's high quality adhesive adheres to most low surface energy substrates
- Ideal for brick or coarse concrete surfaces with the use of heat
- Compatible with eco (solvent), latex and UV wide-format inkjet printers

Product	SKU	μ	Description
Polar® Grip Matte	PGM	80	Printable matte white polymeric PVC film with a high coat weight pressure sensitive, permanent grey acrylic adhesive.
Polar® Grip Gloss	PGG	80	Printable gloss white polymeric PVC film with a high coat weight pressure sensitive, permanent grey acrylic adhesive.



Certified for HP Latex Inks

80 micron



7 YEARS DURABILITY



See the HP Media Locator for details

White Polymeric PVC

(Eco) Solvent Latex UV

Clear Permanent Adhesive

Widths up to 1524 mm

Interior & Exterior

Fire Rated

Polar® Premium White

- 80 micron printable white polymeric PVC films with clear permanent adhesive
- Ideal for high performance signage, POP displays, window, floor, curved and flat panel vehicle graphics
- Compatible with (eco) solvent, UV and latex wide-format inkjet printers

Product	SKU	μ	Description
Polar® Premium White Gloss P	PDP	80	Gloss white polymeric PVC film with a high quality, permanent clear acrylic adhesive.
Polar® Premium White Matte P	PDA	80	Matte white polymeric PVC film with a high quality, permanent clear acrylic adhesive.



Certified for HP Latex Inks

80 micron



7 YEARS DURABILITY



See the HP Media Locator for details

White Polymeric PVC

(Eco) Solvent Latex UV

Grey Permanent Bubble-Free Adhesive

Widths up to 1524 mm

Interior & Exterior

Fire Rated

Polar® Premium Air

- 80 micron printable gloss/matte white polymeric PVC films with a grey permanent adhesive
- Has an air egress liner for easy, bubble free installation
- Ideal for high performance signage, POP displays, window, floor, curved and flat panel vehicle graphics
- Compatible with eco (solvent), latex and UV wide-format inkjet printers

Product	SKU	μ	Description
Polar® Premium Air White Gloss PB	PDB	80	Gloss white polymeric PVC film with a permanent bubble free grey acrylic adhesive.
Polar® Premium Air White Matte PB	PDC	80	Matte white polymeric PVC film with a permanent bubble free grey acrylic adhesive.



POLYMERIC SAV PRINTABLE FILMS

Polar® Premium Clear

- 80 micron printable gloss or matte clear polymeric PVC films with clear permanent adhesive
- Ideal for high performance signage, POP displays, window, floor, curved and flat panel vehicle graphics
- Compatible with (eco) solvent, UV and latex wide-format inkjet printers

Product	SKU	μ	Description
Polar® Premium Clear Gloss P	PCG	80	Gloss clear polymeric PVC film with a high quality, permanent clear acrylic adhesive.
Polar® Premium Clear Matte P	PCM	80	Matte clear polymeric PVC film with a high quality, permanent clear acrylic adhesive.



80 micron
 Clear Polymeric PVC
 (Eco) Solvent Latex UV
 Clear Permanent Adhesive
 Widths up to 1524 mm
 Interior & Exterior
 Fire Rated
 YEARS DURABILITY **7**

Polar® Blockout

- 149.8 micron printable matte highly opaque layered white polymeric PVC film with a permanent aqueous acrylic adhesive
- Pair with SpotOn Clear Gloss to create two-sided window graphics without the need for white ink
- The high opacity prevents graphics from showing through on the other side
- Compatible with eco (solvent), UV and latex wide-format inkjet printers

Product	SKU	μ	Description
Polar® Blockout	PBO	149.8	Matte white block-out polymeric PVC film with a permanent adhesive.



149.8 micron
 Opaque White Polymeric PVC
 (Eco) Solvent Latex UV
 Permanent Acrylic Adhesive
 Widths up to 1370 mm
 Interior & Exterior
 YEARS DURABILITY **7**

FloorTac™ Plus

- 90 micron printable matte white monomeric PVC film with grey removable adhesive
- Ideal for floor graphics - can be applied to tile, wood, concrete, waxed vinyl, marble or terrazzo
- Pair with Drytac Emerytex laminate for a slip-rated floor graphic solution
- Compatible with (eco) solvent, UV and latex wide-format inkjet printers

Product	SKU	μ	Description
FloorTac™ Plus	PTU	90	Matte white monomeric PVC film with removable grey adhesive.



90 micron
 Opaque White Polymeric PVC
 (Eco) Solvent Latex UV
 Removable Grey Adhesive
 Widths up to 1524 mm
 Interior (Horizontal)
 MONTHS DURABILITY **9**

Pair Drytac Polar Polymeric films with a Drytac matching overlamine for added longevity.

Interlam Pro and Weathershield Laminates are recommended.

SPECIALITY PRINTABLE FILMS

Polar® Chrome

75
micron

Silver
Satin
PET



(Eco) Solvent
Latex
UV



Clear
Permanent
Adhesive



Widths up
to 1370 mm



Interior



Exterior

- 3.0 mil printable silver-satin PET film with a clear permanent adhesive
- Easy installation and can be removed without leaving adhesive residue
- Ideal for high impact graphics and reflective labels
- Compatible with eco (solvent), UV and latex wide-format inkjet printers

Product	SKU	μ	Description
Polar® Chrome	PCH	75	Silver-satin PET film with a clear permanent adhesive.



Polar® PET 170

**DRYTAC
ZERO**
Drytac
Zero
Solution

170
micron
White
Matte
PP



(Eco) Solvent
Latex
UV



Clear
Re-Positionable
Adhesive



Widths up
to 1524 mm



Interior
(Vertical)



Interior
(Horizontal)



Fire
Rated



Slip
Rated

- 170 micron printable white matte sand textured PET film with a clear re-positionable adhesive
- Ideal for non-slip floor graphics without the need for lamination
- Contains up to 40% industrial recycled content
- Compatible with (eco) solvent, UV and latex wide-format inkjet printers

Product	SKU	μ	Description
Polar® PET 170	PFW	170	Printable white matte textured PET with clear re-positionable adhesive.



Polar® Street FX

**DRYTAC
ZERO**
Drytac
Zero
Solution

250
micron
White
Matte
Aluminium



(Eco) Solvent
Latex
UV



Clear High
Tack Permanent
Adhesive



Widths up
to 1220 mm



Interior
& Exterior
(Vertical)



Interior
& Exterior
(Horizontal)



Fire
Rated



Slip
Rated

- 250 micron printable white matte textured aluminium film with a clear high tack adhesive
- Ideal for non-slip floor graphics without the need for lamination
- Specifically developed for rough ground or wall surfaces such as brick, concrete, or asphalt
- Compatible with (eco) solvent, UV and latex wide-format inkjet printers

Product	SKU	μ	Description
Polar® Street FX	ALU	250	Printable white matte textured aluminium with clear high tack adhesive.



CAST PVC PRINTABLE FILM & LAMINATE

Polar® Cast Air GSL

50
micron

White
Cast
PVC



(Eco) Solvent
Latex
UV



Grey Reposition
& Slidable Adhesive
with Bubble-Free
Technology



Widths up
to 1370 mm



Interior &
Exterior
(when paired
with matching
laminate)

- 50 micron printable gloss white cast PVC film with a grey repositionable and slidable adhesive
- Has an air egress liner for easy, bubble free installation
- Ideal for truck and vehicle graphics as well as general signage
- Compatible with eco (solvent), latex and UV wide-format inkjet printers
- Pair with Polar Cast Air Gloss with Protac Case Lam for a matched solution

Product	SKU	μ	Description
Polar® Cast Air GSL	CTSP	50	Gloss white cast PVC film with a grey repositionable and slidable adhesive.
Protac® Cast Lam Gloss	CASG	30	Gloss clear cast PVC laminating film with a permanent clear adhesive.



WRITABLE PRINT MEDIA

ReTac® WipeErase®

150
micron



UV



ReTac® Ultra Removable Adhesive



Widths up to 1520 mm



Interior



Fire Rated

- 150 micron UV printable gloss dry erase PP film with ReTac ultra removable adhesive
- Has a writing surface that is built to last and includes a 10-year warranty guaranteeing its erasability
- Ideal for educational, medical or hospitality/retail environments; can be used to refresh old boards
- Compatible with UV wide-format inkjet printers



Product	SKU	μ	Description
ReTac® WipeErase	RWE	150	A premium white dry erase film with ReTac® ultra removable adhesive.

WipeErase® White

150
micron



UV



Clear Permanent Adhesive



Widths up to 1520 mm



Interior



Fire Rated

- 150 micron UV printable gloss dry erase PP film with permanent adhesive
- Has a writing surface that is built to last and includes a 10-year warranty guaranteeing its erasability
- Ideal for educational, medical or hospitality/retail environments; can be used to refresh old boards
- Compatible with UV wide-format inkjet printers



Product	SKU	μ	Description
WipeErase® White	PWE	150	A premium white dry erase film and permanent adhesive.

ReTac® ChalkMate®

125
micron



UV or any White Ink Printers



ReTac® Ultra Removable Adhesive



Widths up to 1550 mm



Interior & Exterior



Fire Rated

- 125 micron printable black chalkboard PVC film with a ReTac® ultra removable adhesive
- Ideal for educational, hospitality or retail environments; can be used to refresh old boards
- Compatible with UV wide-format inkjet printers or other printers with white ink technology



Product	SKU	μ	Description
ReTac® ChalkMate®	CKM-R	125	Printable black chalkboard PVC film with ReTac® ultra removable adhesive.

ChalkMate® Permanent

125
micron



UV or any White Ink Printers



Clear Permanent Adhesive



Widths up to 1550 mm



Interior



Exterior

- 125 micron printable black chalkboard PVC film with a permanent adhesive
- Ideal for educational, hospitality or retail environments; can be used to refresh old boards
- Compatible with UV wide-format inkjet printers or other printers with white ink technology



Product	SKU	μ	Description
ChalkMate® Permanent	CBB	125	Printable black chalkboard PVC film with permanent adhesive.

WRITABLE OVERLAMINATES

WipeErase® Clear

50 micron
 Clear PET Overlaminates
 Clear Acrylic Pressure Sensitive Adhesive
 Widths up to 1524 mm
 Fire Rated

- 50 micron clear gloss dry erase PET overlaminate film; turn any graphic into a white board
- Possessing anti-graffiti qualities, it offers a truly superior combination of resistance against scratches, abrasion, water, solvents, stains, and chemicals
- Ideal for educational, medical or hospitality/retail environments



Product	SKU	μ	Description
WipeErase® Clear	WEC	50	Clear gloss dry erase PET overlaminate film.

Protac™ Scribe

50 micron
 Clear PP Overlaminates
 Clear Acrylic Pressure Sensitive Adhesive
 Widths up to 1300 mm

- 50 micron clear gloss dry erase PP overlaminate film; turn any graphic into a white board
- An economical solution to create white boards
- Ideal for educational, medical or hospitality/retail environments



Product	SKU	μ	Description
Protac™ Scribe	PSC	50	Clear PP dry erase laminating film with a gloss finish.

ANTIMICROBIAL SURFACE PROTECTION FILM

150 micron
 Drytac Zero Solution
 Surface Protection Film
 Clear Textured PET
 Clear Solvent Acrylic Adhesive
 Widths up to 1200 mm
 Interior
 Exterior
 Slip Rated
 15 YEARS DURABILITY
 5 YEARS DURABILITY

SteriTac®

- SteriTac® is a clear, textured PET film with Microban® antimicrobial protection and a clear solvent acrylic adhesive
- 24/7 antimicrobial protection for up to 15 years
- Ideal for high traffic touch surfaces, such as counters, push doors, elevator buttons and touch screens



Product	SKU	μ	Description
SteriTac®	PAB	150	Clear, textured PET film embedded with Microban antimicrobial zinc technology and a clear solvent pressure sensitive permanent adhesive.

LARGE FORMAT OVERLAMINATES



Widths up to 1550 mm

Interior & Exterior

Fire Rated

Slip Rated*

FDA Approved (Interlam Pro Emerytex)

Interlam™ Pro Pressure Sensitive Overlaminating Films

- Overlamine range with an acrylic adhesive coat on PVC base films with UV stabilisers and absorbers
- Add depth and detail to a variety of flexible media substrates while simultaneously preventing the occurrence of silvering during lamination
- Excellent resistance to UV light, weather and temperature changes

Product	SKU	μ	Description
Interlam™ Pro Gloss	ILG	70	PVC film with gloss finish.
Interlam™ Pro Matte	ILM	75	PVC film with matte finish.
Interlam™ Pro Lustre	ILL	75	PVC film with lustre finish.
Interlam™ Pro Emerytex*	ILT	100	PVC film with pebble texture finish.



Drytac Zero Solution



Widths up to 1300 mm



Slip Rated



FDA Approved (Interlam EcoTex)

Interlam™ Eco Pressure Sensitive Overlaminating Films

- PVC-free polypropylene (PP) films with an aqueous acrylic adhesive
- Engineered to be phthalate-free films
- Ideal for providing image enhancement and moisture protection for indoor graphics

Product	SKU	μ	Description
Interlam™ EcoGloss™	IEG	40	PP film with gloss finish.
Interlam™ EcoTex™	IET	120	PP film with pebble texture finish.



Widths up to 1524 mm*



Interior & Exterior



Fire Rated



Slip Rated*

Weathershield™ Overlaminating Films

- High performance and highly stable, polymeric PVC overlaminating films range with an acrylic adhesive coat with UV stabilisers and absorbers
- Uses more complex plasticisers resulting in significant durability and weatherability
- Excellent for outdoor signage

Product	SKU	μ	Description
Weathershield™ Glossy	PGE	75	PVC film with gloss finish.
Weathershield™ Matte	PMM	75	PVC film with matte finish.
Weathershield™ Emerytex	PSE	100	PVC film with pebble texture finish.



LARGE FORMAT OVERLAMINATES



Fine Art & Framing Products



See web for sizes



Interior & Exterior



Fire Rated



Slip Rated*




FDA Approved
(Protac Emerytex, Scribe)

Protac™ Overlaminating Films

- PVC, PET and PP base films coated with solvent-based acrylic adhesive
- Ideal for the most demanding applications such as photographs, inkjet prints, advertising and POP displays

Product	SKU	μ	Description
Protac™ ScuffGuard*	PFT	150	PVC textured matte film with scuff-resistance.
Protac™ Lustre	PLL	70	PVC film with lustre finish.
Protac™ Matte	PLM	75	PVC film with matte finish.
Protac™ Emerytex®*	PST	100	PVC film with a pebble texture finish.
Protac™ Glossy	PLG	70	PVC film with gloss finish; ideal for use with UV printed output.
Protac™ Anti-Scratch Gloss	PAS	100 & 255	PET film with scratch-resistant hard coat, high gloss finish.
Protac™ Anti-Scratch Matte	PLMAS	100	High adhesive coat weight PVC film with anti-scratch matte finish; ideal for use with UV printed output.
Protac™ Anti-Graffiti	PBE	20	High adhesive coat weight pollution protective film with gloss/anti-graffiti finish.



Fine Art & Framing Products



Widths up to 1295 mm



Slip Rated*



FDA Approved
(Artshield Emerytex)

Artshield™ Heatset® Overlaminating Films

- Pre-perforated PVC HeatSet® laminating films that can be applied quickly and easily with most mechanical, hard bed or vacuum-type mounting presses
- Bonds well to inkjet, photo paper and canvas; can be used for other speciality applications
- Optimum activation temperature is 185°F+/85°C+

Product	SKU	μ	Description
Artshield™ Satinex™	SXPP	50	Pre-perforated PVC film with a satin finish.
Artshield™ Mattex™	MXPP	50	Pre-perforated PVC film with a satin matte finish.
Artshield™ Matte	MTPP	75	Pre-perforated PVC film with a matte finish.
Artshield™ Emerytex®*	ETPP	100	Pre-perforated PVC film with a pebble texture finish.



Fine Art & Framing Products



Widths up to 1295 mm



Slip Rated*



FDA Approved
(MediaShield Emerytex)

MediaShield™ Heatset® Overlaminating Films

- Hybrid between thermal and pressure sensitive films
- Bonds well to aqueous inkjet output with high ink coverage – even on photo gloss paper and digital photo laser output
- Optimum activation temperature is 185°F+/85°C+.

Product	SKU	μ	Description
MediaShield™ Satinex™	SX	50	PVC film with a satin finish.
MediaShield™ Mattex™	MX	50	PVC film with a satin matte finish.
MediaShield™ Matte	MT	75	PVC film with a matte finish.
MediaShield™ Emerytex®*	ET	100	PVC film with a pebble texture finish.



Pressure Sensitive Mounting Adhesives

- Drytac manufactures a full range of pressure sensitive adhesives for standard mounting projects and speciality applications, such as face mounts, interchangeable graphics and window graphics
- All of our adhesive products use the best quality adhesives, carriers and release liners so you can achieve the best results.

Product	SKU	Description
MediaTac™	PSA26	High-quality aqueous acrylic adhesive on a 12 micron clear PET carrier for trouble-free mounting. Ideal for decal and high-volume mounting applications.
UltraTac™	PSA26P	A specialised, high-tack aqueous acrylic adhesive on a 12 micron clear PET carrier for mounting to difficult substrates.
Facemount®	PSF	The highest-quality optically clear, ultra smooth permanent acrylic adhesive on a 25 micron optically clear PET carrier for face mounting graphics to glass, acrylic and other clear substrates.
TwinTac™	PSA47	Aqueous acrylic adhesive on a 50 micron clear PVC carrier protected on each side with a release liner. Great for cut sheet applications. Phthalate-free.
WindowTac®	PWD	A clear, double-sided adhesive on a 25 micron clear PET carrier. Has a unique embossed release liner on the removable side. Ideal for creating easy-to-install window graphics.

Heat-Activated Mounting Adhesives

- Self-wound, heat-activated solvent acrylic adhesive designed for use on roller laminators with a heated roller or vacuum press
- Allows for corrections and makes it very user friendly

Product	SKU	Description
MHA™ Multi-Heat Adhesive	MHA	Carrier-free permanent solvent acrylic adhesive for use with roller laminators or vacuum press.

Heat-Activated Mounting Adhesives and Tissues for Dry Mount Presses

- Heat-activated mounting adhesives for your more challenging or specialist jobs
- Designed to work with vacuum and dry mount presses geared towards fine art and framing applications
- Simple to use on various projects

Product	SKU	Description
Dry Mount Film	MF	Acrylic adhesive on a thin PVC carrier; for use with canvas textured substrates or irregular surfaces; activation temperature 185-210°F (85-99°C).
Trimount™	TR	75 micron premium quality, permanent dry mounting tissue; available in sheets and rolls; activation temperature 185-210°F (85-99°C).
Flobond™	FL	50 micron clear, carrier-free pH-neutral mounting adhesive; activation temperature 175-200°F (79-93°C).

CUSTOM COATING SERVICES

Customised Adhesive Science

With over 40 years of experience as one of the world's most progressive manufacturers of mounting adhesives, overlaminating films and printable media, Drytac is able to offer a confidential and professional contract adhesive coating and converting service. Our manufacturing facilities in the United Kingdom and North America have state-of-the-art R&D, coating, converting and private labelling capabilities. With the ability to apply aqueous, solvent-based and hot-melt adhesives, this enables us to develop customised products for specific applications utilising the best technologies available.

Typical Applications

Tapes

- Double Sided Tape
- Single Sided Tape
- Transfer Tape
- Tissue Tape
- Membrane Reinforced Tape
- High Coat Weight Construction Tapes
- Mounting Tape
- Cloth Tape
- Medical Tape

Labels

- Low Temperature Label
- Horticultural Label
- Durable Label
- Tyre Label
- Pharmaceutical Label
- Security Label
- BS5609 Certified Chemical Drum Label

Self-Adhesive Films

- Over-Laminating Film
- Self-Wound Protection Film
- Spray Booth Liner

Product Development Services

Developing a customised product isn't as expensive as you might think. Drytac can guide you through the development process from the initial choice of raw materials, selecting the appropriate adhesive technology, providing sample prototypes and scaling up to production trials. Robust testing is conducted throughout the process to ensure the product performs for the intended application and meets the expectations of the customer.

Drytac can manufacture your customised product in runs from as little as 2,000 linear metres to over 1 million. Why not challenge Drytac to develop your self-adhesive product today?

Quality Assurance and Testing

Drytac operates a Quality Management System certified to ISO 9001. The company's dedication to quality ensures our customers receive consistent and reliable products that perform every time. Our production sites have fully equipped laboratories with facilities to conduct most testing associated with adhesive coated materials.

- Adhesive Analysis
- Adhesive Coat Weight
- Age Testing
- Release Value Testing
- 90 and 180 Degree Peel Strength Testing
- Shear Testing
- Tensile Strength
- Elongation
- Customised Adhesive Coatings and Sample Preparation



Centre of Excellence

Established in 2018, The Drytac Academy is a centre of excellence for the industry providing an area for development, application, training and support. By understanding each part of the solution, Drytac can develop and support products, both now and in the future; providing each customer with the media, tools and knowledge required for each application. We understand that the materials are only one part of the solution for a printed product, so we must work with all the other parts to make sure all Drytac products are perfect for each application and device.



Partnerships

By working with all the major machine manufactures, understanding the printer, ink technology, software and finishing, we can provide the right tailor-made solutions for each device. We are working closely with all the major hardware and software vendors below:

EPSON®

FUJIFILM



Mimaki

MUTOH

RICOH

Roland

CALDERA 

ColorGATE

ONYX®

Laminating Films & Mounting Adhesives

Window, Wall & Floor Graphic Media

Product Development Services

Custom & Pattern Coating

High Performance Tapes

Industrial Adhesives

Durable Labels



DRYTAC[®]

Europe

Filwood Road,
Fishponds,
Bristol, BS16 3RY,
United Kingdom
bristol@drytac.com
Tel: +44 (0) 117 958 6500

Canada

30 Driver Road,
Brampton,
Ontario, L6T 5V2,
Canada
toronto@drytac.com
Tel: +1 800.353.2883

USA

5401-B Eubank Road,
Sandston,
Virginia, 23150,
USA
customerservice@drytac.com
Tel: +1 800.280.6013